

PRO-TEC PREMIUM SN 5W-30

Description/Application/Properties

SAE 5W-30 FD is a fully synthetic high performance engine oil from the latest generation. The fuel-efficient, low-viscosity engine oil optimizes fuel consumption and ensures the long-lasting performance of your engine with or without turbocharger.

SAE 5W-30 FD is recommended for modern gasoline and turbo diesel engines.

It provides high lubricity, especially during cold start-up conditions, excellent viscosity over the entire temperature range, ensures optimal wear protection of engine parts.

SAE 5W-30 FD is suitable for engines with or without extended oil change intervals.

Customer Benefits

Manufacturers standards, resistance to oxidation, Engine protection and Cleanliness, Easier cold starts and Fluidity: Its exceptional fluidity reduces friction and therefore creates significant fuel savings and reduces CO emissions.

Specification/Recommendation

Meets The Requirements of:

API SN/CF, ILSAC GF-5

MB229.5, VW 50200/50500, Renault RN710/700, Ford WSS-M2C 913-D , Ford WSS-M2C 913-C, FIAT 9.55535-G1, Citroën, Daihatsu, GM, Honda, Hyundai, Isuzu, Jaguar, Kia, Land Rover, Mazda, Mitsubishi, Nissan, Rover/MG, Subaru, Suzuki, Toyota, Peugeot

TEST	UNIT	TEST METHOD	RESULT
VISCOSITY GRADE	-	SAE 300	5 W 30
DENSITY AT 15°C	kg/m ³	ASTM D 4052	854.1
VISCOSITY AT 40°C	mm ² /s	ASTM D 445	65.64
VISCOSITY AT 100°C	mm ² /s	ASTM D 445	11.4
VISCOSITY INDEX	-	ASTM D 2270	172
FLASH POINT	°C	ASTM D 92	235
POUR POINT	°C	ASTM D 97	-39
PHOSPHOROUS	PPM	ASTM D 4951	Less than 800

Unsere technischen Informationen stützen sich auf sorgfältige Untersuchungen und wurden nach dem neuesten Stand zusammengestellt. Dennoch kann sie nur unverbindlich beraten, da Anwendung und Verarbeitungsmethoden nicht in unserem Einfluss liegen. Keine Haftung für Druckfehler. Technische Änderungen vorbehalten.
Our information is based on careful examination and may be considered as reliable. However, all information supplied is a non-binding advise. No liability for printing errors, technical modifications and errors excepted.